



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

LD: Ryan Peerless
11/29/2025

PCT
UC-CCM

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
Beam #2 Center Top	1	ETC Source4 19deg	575w	Front B	L152		(45)
	2	ETC Source4 19deg	575w	Front B	L152		(39)
	3	ETC Source4 14deg	575w	Front B	L152		(50)
	4	ETC Source4 14deg	575w	Front A	R03		(22)
	5	ETC Source4 19deg	575w	Front A	R03		(14)
	6	ETC Source4 19deg	575w	Front A	R03		(19)
	7	ETC Source4 19deg	575w	Front A	R03		(13)
Beam #2 HR Top	1	ETC Source4 19deg	575w	Front B	L152		(44)
	2	ETC Source4 19deg	575w	Front B	L152		(48)
	3	ETC Source4 19deg	575w	Front B	L152		(43)
	4	ETC Source4 14deg	575w	Front B	L152		(52)
	5	ETC Source4 19deg	575w	Front B	L152		(42)
	6	ETC Source4 19deg	575w	Front B	L152		(41)
	7	ETC Source4 19deg	575w	Front B	L152		(46)
Beam #2 HL Top	1	ETC Source4 19deg	575w	Front A	R03		(18)
	2	ETC Source4 19deg	575w	Front A	R03		(12)
	3	ETC Source4 19deg	575w	Front A	R03		(11)
	4	ETC Source4 19deg	575w	Front A	R03		(10)
	5	ETC Source4 14deg	575w	Front A	R03		(20)
	6	ETC Source4 14deg	575w	Front A	R03		(21)
	7	ETC Source4 19deg	575w	Front A	R03		(9)



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM	
Deck	1			Birdie Special	R373		(223)	
	1			US Birdie Special	R373		(224)	
	1	Sconce	45w	Wall Sconce			(141)	
	1	Sconce	45w	Wall Sconce			(142)	
	1	Sconce	45w	Wall Sconce			(143)	
	1	Sconce	45w	Wall Sconce			(144)	
	1	Lamp	14w	Floor Lamp			(147)	
	1	Lamp	14w	Table Lamp			(146)	
		2			Birdie Special	R373		(222)
	3			Birdie Special	R373		(221)	
Apron Boom HR	1	ETC Source4 26deg	575w	HI Side Cool	R68		(123) 116	
	2	ETC Source4 26deg	575w	HI Side Cool	R68		(124) 118	
	3	ETC Source4 26deg	575w	HI Side Cool	R68		(125) 120	
	4	ETC Source4 26deg	575w	HI Side Cool	R68		(121) 121	
	5	ETC Source4 36deg	575w	HI Side Cool	R68		(126) 122	
	6	ETC Source4 36deg	575w	HI Side Cool	R68		(122) 123	
	7	ETC Source4 19deg	575w	Table Lamp Support	L104		(156) 126	



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
Apron Boom HL	1	ETC Source4 26deg	575w	HI Side Warm	L147		(106) 128
	2	ETC Source4 26deg	575w	HI Side Warm	L147		(105) 130
	3	ETC Source4 26deg	575w	HI Side Warm	L147		(102) 133
	4	ETC Source4 26deg	575w	HI Side Warm	L147		(104) 132
	5	ETC Source4 36deg	575w	HI Side Warm	L147		(101) 135
	6	ETC Source4 36deg	575w	HI Side Warm	L147		(103) 134
#4 Electric	1	ETC Source4 LED2LS 36deg+Light Acc C Clamp	171w	Texture Back Cool	T: G398		(95)
	2	Elation Arena PAR Zoom		Top Light			(79)
	3	ETC Source4 19deg	575w	Duchess Special	R357		(226)
	4	ETC Source4 50deg+ Light Acc C Clamp	575w	Texture Back Warm	NC, T: 77811		(85)
	5	ETC Source4 36deg	575w	HI Side Cool	R68		(137)
	6	Elation Arena PAR Zoom		Top Light			(78)
	7	ETC Source4 19deg	575w	Xylophone A Special	L503		(208)
	8	ETC Source4 36deg	575w	HI Side Warm	L147		(117)



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
#3 Electric	1	ETC Source4 36deg+ Light Acc C Clamp	575w	Stairs Landing Side	R09		(188)
	1	Lamp	14w	Floor Lamp			(148)
	2	ETC Source4 36deg	575w	HI Side Cool	R68		(136)
	3	Elation Arena PAR Zoom		Top Light			(77)
	4	Elation Arena PAR Zoom		Top Light			(76)
	5	ETC Source4 10deg	575w	Sconce Support	L104		(154)
	6	ETC Source4 36deg	575w	HI Side Warm	L147		(116)
	7	ETC Source4 50deg	575w	Wall Treatment	L223, T:76611		(165)
	8	ETC Source4 36deg	575w	HI Side Cool	R68		(135)
	9	ETC Source4 50deg	575w	Wall Treatment	L223, T:76611		(166)
	10	ETC Source4 LED2DS 50deg+Light Acc C Clamp	246w	Texture Back Cool	T: G398		(94)
	11	Elation Arena PAR Zoom		Top Light			(75)
	12	ETC Source4 14deg	575w	Lamp Support	L104		(158)
13	ETC Source4 36deg	575w	HI Side Warm	L147		(115)	



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
#3 Electric	14	ETC Source4 50deg+ Light Acc C Clamp	575w	Texture Back Warm	NC, T: 77811	 (84)	
	15	ETC Source4 36deg+ Light Acc C Clamp	575w	Chaise Special	L503	 (212)	
	16	ETC Source 4 PAR MFL+Light Acc C Clamp	575w	Kitchen Interior Special	R09	 (183)	
	17	ETC Source4 19deg+ Light Acc C Clamp	575w	Kitchen Door Backlight	R09	 (182)	



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
#2 Electric	1	ETC Source4 26deg+ Light Acc C Clamp	575w	Stairs Side	R09		(187)
	2	ETC Source4 36deg	575w	HI Side Cool	R68		(134)
	3	ETC Source4 50deg	575w	Wall Treatment	L223, T:76611		(167)
	4	ETC Source4 LED2LS 36deg+Light Acc C Clamp	171w	Texture Back Cool	T: G398		(93)
	5	Elation Arena PAR Zoom		Top Light			(74)
	6	ETC Source4 LED2DS 50deg+Light Acc C Clamp	246w	Texture Back Cool	T: G398		(92)
	7	ETC Source4 36deg	575w	HI Side Warm	L147		(114)
	8	ETC Source4 36deg	575w	Wall Treatment	L223, T:76611		(168)
	9	ETC Source4 36deg	575w	HI Side Cool	R68		(133)
	10	ETC Source4 26deg	575w	HI Side Cool	R68		(132)
	11	ETC Source4 LED2LS 36deg+Light Acc C Clamp	171w	Texture Back Cool	T: G398		(91)
	12	ETC Source4 10deg	575w	Sconce Support	L104		(152)
	13	ETC Source4 36deg+ Light Acc C Clamp	575w	Texture Back Warm	NC, T: 77811		(83)
	14	Elation Arena PAR Zoom		Top Light			(73)



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
#2 Electric	15	ETC Source4 50deg+ Light Acc C Clamp	575w	Texture Back Warm	NC, T: <input type="checkbox"/> 77811	(82)	
	16	Elation Arena PAR Zoom		Top Light		(72)	
	17	ETC Source4 50deg+ Light Acc C Clamp	575w	Texture Back Warm	NC, T: <input type="checkbox"/> 77811	(81)	
	18	ETC Source4 26deg	575w	HI Side Warm	L147 <input type="checkbox"/>	(113)	
	19	ETC Source4 36deg	575w	HI Side Warm	L147 <input type="checkbox"/>	(112)	



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
#1 Electric	1	ETC Source4 36deg	575w	HI Side Cool	R68		(131) 185
	2	ETC Source4 26deg	575w	HI Side Cool	R68		(130) 184
	3	ETC Source4 26deg	575w	HI Side Cool	R68		(129) 183
	4	ETC Source4 26deg	575w	HI Side Cool	R68		(128) 182
	5	ETC Source4 26deg	575w	HI Side Cool	R68		(127) 181
	6	ETC Source4 26deg	575w	Desk Special	L503		(206) 180
	7	Elation Arena Zoom		PAR	Top Light		(71) 186
	8	ETC Source4 50deg	575w	Wall Treatment	L223, T:76611		(170) 179
	9	ETC Source4 50deg	575w	Wall Treatment	L223, T:76611		(169) 178
	10	Elation Arena Zoom		PAR	Top Light		(70) 186
	11	ETC Source4 10deg	575w	Sconce Support	L104		(153) 177
	12	Elation Arena Zoom		PAR	Top Light		(69) 186
	13	ETC Source4 50deg	575w	Wall Treatment	L223, T:76611		(161) 160
	14	ETC Source4 19deg	575w	Grandpa Chair Special	L503		(214) 159



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
#1 Electric	15	Elation Arena PAR Zoom		Top Light		(68)	186
	16	ETC Source4 10deg	575w	Snakes Special	R63	(210)	158
	17	ETC Source4 19deg	575w	Printing Press Special	R302	(215)	157
	18	Elation Arena PAR Zoom		Top Light		(67)	186
	19	ETC Source4 36deg	575w	Wall Treatment	L223, T:76611	(162)	156
	20	ETC Source4 10deg	575w	Sconce Support	L104	(151)	155
	21	ETC Source4 14deg	575w	Lamp Support	L104	(157)	154
	22	ETC Source4 26deg	575w	HI Side Warm	L147	(111)	153
	23	ETC Source4 26deg	575w	HI Side Warm	L147	(110)	152
	24	ETC Source4 26deg	575w	HI Side Warm	L147	(109)	151
	25	ETC Source4 26deg	575w	HI Side Warm	L147	(108)	150
	26	ETC Source4 36deg	575w	HI Side Warm	L147	(107)	149



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
Cloud #1 HR	1	ETC Source4 36deg	575w	Wall Treatment	L223,  T:76611	(164)	97
	2	Elation Arena PAR Zoom		Top Light		(66)	101
	3	ETC Source4 19deg+ Light Acc C Clamp	575w	Kitchen Door Frontlight	L443 	(181)	98
	4	Elation Arena PAR Zoom		Top Light		(65)	101
Cloud #2	1	Elation Arena PAR Zoom		Top Light		(62)	101
	2	Elation Arena PAR Zoom		Top Light		(61)	102
Cloud #1 HL	1	Elation Arena PAR Zoom		Top Light		(64)	102
	2	ETC Source4 50deg	575w	Wall Treatment	L223,  T:76611	(163)	103
	3	Elation Arena PAR Zoom		Top Light		(63)	102
#6 Electric	1	ETC Source4 LED2LS 36deg+Light Acc C Clamp	171w	Texture Back Cool	T: G398	(96)	
	2	ETC Source4 19deg	575w	Xylophone B Special	NC 	(209)	
	3	ETC Source4 19deg	575w	Printing Press Special	L503 	(216)	
	4	ETC Source4 50deg+ Light Acc C Clamp	575w	Texture Back Warm	NC, T:  77811	(86)	



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
Beam #5 HR	1	ETC Source4 26deg	575w	SL Portal	L223,  T:76611	(246)	1
	2	ETC Source4 26deg	575w	SL Portal	L223,  T:76611	(245)	2
	3	ETC Source4 26deg	575w	Portal	L223,  T:76611	(244)	3
	4	ETC Source 4 LED 26deg		Fill	R119 	(30)	6
	5	ETC Source 4 LED 26deg		Fill	R119 	(29)	6
	6	ETC Source 4 LED 26deg		Fill	R119 	(28)	6
Beam #6 HL	1	ETC Source 4 LED 26deg		Fill	R119 	(27)	7
	2	ETC Source 4 LED 26deg		Fill	R119 	(26)	7
	3	ETC Source 4 LED 26deg		Fill	R119 	(25)	7
	4	ETC Source4 26deg	575w	Portal	L223,  T:76611	(243)	10
	5	ETC Source4 26deg	575w	SR Portal	L223,  T:76611	(242)	11
	6	ETC Source4 26deg	575w	SR Portal	L223,  T:76611	(241)	12
Cellar Boom Pipe	1	ETC Source4 LED2DS 50deg	246w	Cellar Uplight Special	R119 	(191)	



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
Cloud #3	1	ETC Source4 14deg	575w	Xylophone A Special	R302 	(207)	99
	2	ETC Source4 14deg	575w	Chaise Special	R302 	(211)	100
	3	ETC Source4 26deg	575w	Chandelier Support	L104 	(155)	106
#7 Electric	1	ETC Source 4 LED 26deg+Light Acc C Clamp	140w	US Window Special	T: 77643	(202)	
	2	ETC Source4 36deg	575w	Moon Special	R60, T:G643 	(230)	
SL Boom Pipe	1	ETC Source4 LED2LS 36deg+Light Acc C Clamp	171w	Window Special	T:G207	(201)	191
Beam #2 HR Bot	1	ETC Source4 19deg	575w	Front B	L152 	(49)	
	2	ETC Source4 26deg	575w	Front B	L152 	(38)	
	3	ETC Source4 19deg	575w	Front B	L152 	(47)	
	4	ETC Source4 26deg	575w	Front B	L152 	(37)	
	5	ETC Source4 19deg	575w	Front B	L152 	(40)	
	6	ETC Source4 26deg	575w	Front B	L152 	(33)	
	7	ETC Source4 26deg	575w	Front B	L152 	(36)	



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
Beam #2 HL Bot	1	ETC Source4 26deg	575w	Front A	R03		(6)
	2	ETC Source4 26deg	575w	Front A	R03		(1)
	3	ETC Source4 26deg	575w	Front A	R03		(5)
	4	ETC Source4 19deg	575w	Front A	R03		(17)
	5	ETC Source4 26deg	575w	Front A	R03		(4)
	6	ETC Source4 19deg	575w	Front A	R03		(16)
	7	ETC Source4 14deg	575w	Front A	R03		(24)
	8	ETC Source4 19deg	575w	Front A	R03		(15)
Beam #2 Center Bot	1	ETC Source4 26deg	575w	Front B	L152		(32)
	2	ETC Source4 26deg	575w	Front B	L152		(35)
	3	ETC Source4 26deg	575w	Front B	L152		(31)
	4	ETC Source4 26deg	575w	Front B	L152		(34)
	5	ETC Source4 26deg	575w	Front A	R03		(8)
	6	ETC Source4 26deg	575w	Front A	R03		(3)
	7	ETC Source4 26deg	575w	Front A	R03		(7)
	8	ETC Source4 26deg	575w	Front A	R03		(2)



YOU CAN'T TAKE IT WITH YOU INSTRUMENT SCHEDULE

POSITION	U#	INST TYPE &	LOAD	PURPOSE	CLR & GBO	CHAN	DIM
Beam #1 Center Bot	1	ETC Source4 19deg	575w	Flame Special	L507, T:G353		(225) 8
	2	ETC Source4 14deg+ Light Acc C Clamp	575w	Front Stairs	L443		(185) 83
	3	ETC Source4 14deg+ Light Acc C Clamp	575w	Front Stairs Landing	L443		(186) 84
Beam #1 HR Bot	1	ETC Source4 19deg	575w	Desk Special	R302		(205) 76
Beam #1 HL Bot	1	ETC Source4 14deg	575w	Grandpa Chair Special	R302		(213) 91
Beam #3 HL Bot	1	ETC Source4 26deg	575w	Cellar Support	NC		(192) 37
OS Siderig SL	1	ETC Source4 LED2LS 26deg+Light Acc C Clamp	171w	Stars	R119		(178)
	2	ETC Source4 LED2LS 26deg+Light Acc C Clamp	171w	Stars	R119		(176)
	3	ETC Source4 LED2LS 36deg+Light Acc C Clamp	171w	Hall Special			(195) 190
OS Siderig SR	1	ETC Source4 LED2LS 26deg+Light Acc C Clamp	171w	Stars	R119		(177)
	2	ETC Source4 LED2LS 26deg+Light Acc C Clamp	171w	Stars	R119		(175)