



YOU CAN'T TAKE IT WITH YOU
CHANNEL HOOKUPS

LD: Ryan Peerless
11/29/2025

PCT
UC-CCM

CHAN	POSITION	U#	INST TYPE & ACCESS &	PURPOSE	CLR & GBO
(1)	Beam #2 HL Bot	2	ETC Source4 26deg 575w	Front A	R03
(2)	Beam #2 Center Bot	8	ETC Source4 26deg 575w	Front A	R03
(3)	Beam #2 Center Bot	6	ETC Source4 26deg 575w	Front A	R03
(4)	Beam #2 HL Bot	5	ETC Source4 26deg 575w	Front A	R03
(5)	Beam #2 HL Bot	3	ETC Source4 26deg 575w	Front A	R03
(6)	Beam #2 HL Bot	1	ETC Source4 26deg 575w	Front A	R03
(7)	Beam #2 Center Bot	7	ETC Source4 26deg 575w	Front A	R03
(8)	Beam #2 Center Bot	5	ETC Source4 26deg 575w	Front A	R03
(9)	Beam #2 HL Top	7	ETC Source4 19deg 575w	Front A	R03
(10)	Beam #2 HL Top	4	ETC Source4 19deg 575w	Front A	R03
(11)	Beam #2 HL Top	3	ETC Source4 19deg 575w	Front A	R03
(12)	Beam #2 HL Top	2	ETC Source4 19deg 575w	Front A	R03
(13)	Beam #2 Center Top	7	ETC Source4 19deg 575w	Front A	R03
(14)	Beam #2 Center Top	5	ETC Source4 19deg 575w	Front A	R03
(15)	Beam #2 HL Bot	8	ETC Source4 19deg 575w	Front A	R03
(16)	Beam #2 HL Bot	6	ETC Source4 19deg 575w	Front A	R03
(17)	Beam #2 HL Bot	4	ETC Source4 19deg 575w	Front A	R03
(18)	Beam #2 HL Top	1	ETC Source4 19deg 575w	Front A	R03
(19)	Beam #2 Center Top	6	ETC Source4 19deg 575w	Front A	R03
(20)	Beam #2 HL Top	5	ETC Source4 14deg 575w	Front A	R03
(21)	Beam #2 HL Top	6	ETC Source4 14deg 575w	Front A	R03
(22)	Beam #2 Center Top	4	ETC Source4 14deg 575w	Front A	R03
(24)	Beam #2 HL Bot	7	ETC Source4 14deg 575w	Front A	R03
(25)	Beam #6 HL	3	ETC Source 4 LED 26deg	Fill	R119



YOU CAN'T TAKE IT WITH YOU
CHANNEL HOOKUPS

CHAN	POSITION	U#	INST TYPE & ACCESS &	PURPOSE	CLR & GBO
(26)	Beam #6 HL	2	ETC Source 4 LED 26deg	Fill	R119
(27)	Beam #6 HL	1	ETC Source 4 LED 26deg	Fill	R119
(28)	Beam #5 HR	6	ETC Source 4 LED 26deg	Fill	R119
(29)	Beam #5 HR	5	ETC Source 4 LED 26deg	Fill	R119
(30)	Beam #5 HR	4	ETC Source 4 LED 26deg	Fill	R119
(31)	Beam #2 Center Bot	3	ETC Source4 26deg 575w	Front B	L152
(32)	Beam #2 Center Bot	1	ETC Source4 26deg 575w	Front B	L152
(33)	Beam #2 HR Bot	6	ETC Source4 26deg 575w	Front B	L152
(34)	Beam #2 Center Bot	4	ETC Source4 26deg 575w	Front B	L152
(35)	Beam #2 Center Bot	2	ETC Source4 26deg 575w	Front B	L152
(36)	Beam #2 HR Bot	7	ETC Source4 26deg 575w	Front B	L152
(37)	Beam #2 HR Bot	4	ETC Source4 26deg 575w	Front B	L152
(38)	Beam #2 HR Bot	2	ETC Source4 26deg 575w	Front B	L152
(39)	Beam #2 Center Top	2	ETC Source4 19deg 575w	Front B	L152
(40)	Beam #2 HR Bot	5	ETC Source4 19deg 575w	Front B	L152
(41)	Beam #2 HR Top	6	ETC Source4 19deg 575w	Front B	L152
(42)	Beam #2 HR Top	5	ETC Source4 19deg 575w	Front B	L152
(43)	Beam #2 HR Top	3	ETC Source4 19deg 575w	Front B	L152
(44)	Beam #2 HR Top	1	ETC Source4 19deg 575w	Front B	L152
(45)	Beam #2 Center Top	1	ETC Source4 19deg 575w	Front B	L152
(46)	Beam #2 HR Top	7	ETC Source4 19deg 575w	Front B	L152
(47)	Beam #2 HR Bot	3	ETC Source4 19deg 575w	Front B	L152
(48)	Beam #2 HR Top	2	ETC Source4 19deg 575w	Front B	L152
(49)	Beam #2 HR Bot	1	ETC Source4 19deg 575w	Front B	L152
(50)	Beam #2 Center Top	3	ETC Source4 14deg 575w	Front B	L152
(52)	Beam #2 HR Top	4	ETC Source4 14deg 575w	Front B	L152



YOU CAN'T TAKE IT WITH YOU
CHANNEL HOOKUPS

CHAN	POSITION	U#	INST TYPE & ACCESS &	PURPOSE	CLR & GBO
(61)	Cloud #2	2	Elation Arena PAR Zoom	Top Light	
(62)	Cloud #2	1	Elation Arena PAR Zoom	Top Light	
(63)	Cloud #1 HL	3	Elation Arena PAR Zoom	Top Light	
(64)	Cloud #1 HL	1	Elation Arena PAR Zoom	Top Light	
(65)	Cloud #1 HR	4	Elation Arena PAR Zoom	Top Light	
(66)	Cloud #1 HR	2	Elation Arena PAR Zoom	Top Light	
(67)	#1 Electric	18	Elation Arena PAR Zoom	Top Light	
(68)	#1 Electric	15	Elation Arena PAR Zoom	Top Light	
(69)	#1 Electric	12	Elation Arena PAR Zoom	Top Light	
(70)	#1 Electric	10	Elation Arena PAR Zoom	Top Light	
(71)	#1 Electric	7	Elation Arena PAR Zoom	Top Light	
(72)	#2 Electric	16	Elation Arena PAR Zoom	Top Light	
(73)	#2 Electric	14	Elation Arena PAR Zoom	Top Light	
(74)	#2 Electric	5	Elation Arena PAR Zoom	Top Light	
(75)	#3 Electric	11	Elation Arena PAR Zoom	Top Light	
(76)	#3 Electric	4	Elation Arena PAR Zoom	Top Light	
(77)	#3 Electric	3	Elation Arena PAR Zoom	Top Light	
(78)	#4 Electric	6	Elation Arena PAR Zoom	Top Light	
(79)	#4 Electric	2	Elation Arena PAR Zoom	Top Light	
(81)	#2 Electric	17	ETC Source4 50deg+Light Acc C Clamp 575w	Texture Back Warm	NC, T: <input type="checkbox"/> 77811
(82)	#2 Electric	15	ETC Source4 50deg+Light Acc C Clamp 575w	Texture Back Warm	NC, T: <input type="checkbox"/> 77811
(83)	#2 Electric	13	ETC Source4 36deg+Light Acc C Clamp 575w	Texture Back Warm	NC, T: <input type="checkbox"/> 77811
(84)	#3 Electric	14	ETC Source4 50deg+Light Acc C Clamp 575w	Texture Back Warm	NC, T: <input type="checkbox"/> 77811



YOU CAN'T TAKE IT WITH YOU
CHANNEL HOOKUPS

CHAN	POSITION	U#	INST TYPE & ACCESS &	PURPOSE	CLR & GBO
(85)	#4 Electric	4	ETC Source4 50deg+Light Acc C Clamp 575w	Texture Back Warm	NC, T: <input type="checkbox"/> 77811
(86)	#6 Electric	4	ETC Source4 50deg+Light Acc C Clamp 575w	Texture Back Warm	NC, T: <input type="checkbox"/> 77811
(91)	#2 Electric	11	ETC Source4 LED2LS 36deg+ Light Acc C Clamp 171w	Texture Back Cool	T: G398
(92)	#2 Electric	6	ETC Source4 LED2DS 50deg+ Light Acc C Clamp 246w	Texture Back Cool	T: G398
(93)	#2 Electric	4	ETC Source4 LED2LS 36deg+ Light Acc C Clamp 171w	Texture Back Cool	T: G398
(94)	#3 Electric	10	ETC Source4 LED2DS 50deg+ Light Acc C Clamp 246w	Texture Back Cool	T: G398
(95)	#4 Electric	1	ETC Source4 LED2LS 36deg+ Light Acc C Clamp 171w	Texture Back Cool	T: G398
(96)	#6 Electric	1	ETC Source4 LED2LS 36deg+ Light Acc C Clamp 171w	Texture Back Cool	T: G398
(101)	Apron Boom HL	5	ETC Source4 36deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(102)	Apron Boom HL	3	ETC Source4 26deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(103)	Apron Boom HL	6	ETC Source4 36deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(104)	Apron Boom HL	4	ETC Source4 26deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(105)	Apron Boom HL	2	ETC Source4 26deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(106)	Apron Boom HL	1	ETC Source4 26deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(107)	#1 Electric	26	ETC Source4 36deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(108)	#1 Electric	25	ETC Source4 26deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(109)	#1 Electric	24	ETC Source4 26deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(110)	#1 Electric	23	ETC Source4 26deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(111)	#1 Electric	22	ETC Source4 26deg 575w	HI Side Warm	L147 <input type="checkbox"/>
(112)	#2 Electric	19	ETC Source4 36deg 575w	HI Side Warm	L147 <input type="checkbox"/>



YOU CAN'T TAKE IT WITH YOU
CHANNEL HOOKUPS

CHAN	POSITION	U#	INST TYPE & ACCESS &	PURPOSE	CLR & GBO	
(113)	#2 Electric	18	ETC Source4 26deg 575w	HI Side Warm	L147	
(114)	#2 Electric	7	ETC Source4 36deg 575w	HI Side Warm	L147	
(115)	#3 Electric	13	ETC Source4 36deg 575w	HI Side Warm	L147	
(116)	#3 Electric	6	ETC Source4 36deg 575w	HI Side Warm	L147	
(117)	#4 Electric	8	ETC Source4 36deg 575w	HI Side Warm	L147	
(121)	Apron Boom HR	4	ETC Source4 26deg 575w	HI Side Cool	R68	
(122)	Apron Boom HR	6	ETC Source4 36deg 575w	HI Side Cool	R68	
(123)	Apron Boom HR	1	ETC Source4 26deg 575w	HI Side Cool	R68	
(124)	Apron Boom HR	2	ETC Source4 26deg 575w	HI Side Cool	R68	
(125)	Apron Boom HR	3	ETC Source4 26deg 575w	HI Side Cool	R68	
(126)	Apron Boom HR	5	ETC Source4 36deg 575w	HI Side Cool	R68	
(127)	#1 Electric	5	ETC Source4 26deg 575w	HI Side Cool	R68	
(128)	#1 Electric	4	ETC Source4 26deg 575w	HI Side Cool	R68	
(129)	#1 Electric	3	ETC Source4 26deg 575w	HI Side Cool	R68	
(130)	#1 Electric	2	ETC Source4 26deg 575w	HI Side Cool	R68	
(131)	#1 Electric	1	ETC Source4 36deg 575w	HI Side Cool	R68	
(132)	#2 Electric	10	ETC Source4 26deg 575w	HI Side Cool	R68	
(133)	#2 Electric	9	ETC Source4 36deg 575w	HI Side Cool	R68	
(134)	#2 Electric	2	ETC Source4 36deg 575w	HI Side Cool	R68	
(135)	#3 Electric	8	ETC Source4 36deg 575w	HI Side Cool	R68	
(136)	#3 Electric	2	ETC Source4 36deg 575w	HI Side Cool	R68	
(137)	#4 Electric	5	ETC Source4 36deg 575w	HI Side Cool	R68	
(141)	Deck	1	Sconce 45w	Wall Sconce		
(142)	Deck	1	Sconce 45w	Wall Sconce		
(143)	Deck	1	Sconce 45w	Wall Sconce		
(144)	Deck	1	Sconce 45w	Wall Sconce		



YOU CAN'T TAKE IT WITH YOU
CHANNEL HOOKUPS

CHAN	POSITION	U#	INST TYPE & ACCESS &	PURPOSE	CLR & GBO
(145)		1	Chandelier	Chandelier	
(146)	Deck	1	Lamp 14w	Table Lamp	
(147)	Deck	1	Lamp 14w	Floor Lamp	
(148)	#3 Electric	1	Lamp 14w	Floor Lamp	
(151)	#1 Electric	20	ETC Source4 10deg 575w	Sconce Support	L104
(152)	#2 Electric	12	ETC Source4 10deg 575w	Sconce Support	L104
(153)	#1 Electric	11	ETC Source4 10deg 575w	Sconce Support	L104
(154)	#3 Electric	5	ETC Source4 10deg 575w	Sconce Support	L104
(155)	Cloud #3	3	ETC Source4 26deg 575w	Chandelier Support	L104
(156)	Apron Boom HR	7	ETC Source4 19deg 575w	Table Lamp Support	L104
(157)	#1 Electric	21	ETC Source4 14deg 575w	Lamp Support	L104
(158)	#3 Electric	12	ETC Source4 14deg 575w	Lamp Support	L104
(161)	#1 Electric	13	ETC Source4 50deg 575w	Wall Treatment	L223, T:76611
(162)	#1 Electric	19	ETC Source4 36deg 575w	Wall Treatment	L223, T:76611
(163)	Cloud #1 HL	2	ETC Source4 50deg 575w	Wall Treatment	L223, T:76611
(164)	Cloud #1 HR	1	ETC Source4 36deg 575w	Wall Treatment	L223, T:76611
(165)	#3 Electric	7	ETC Source4 50deg 575w	Wall Treatment	L223, T:76611



YOU CAN'T TAKE IT WITH YOU
CHANNEL HOOKUPS

CHAN	POSITION	U#	INST TYPE & ACCESS &	PURPOSE	CLR & GBO
(166)	#3 Electric	9	ETC Source4 50deg 575w	Wall Treatment	L223,  T:76611
(167)	#2 Electric	3	ETC Source4 50deg 575w	Wall Treatment	L223,  T:76611
(168)	#2 Electric	8	ETC Source4 36deg 575w	Wall Treatment	L223,  T:76611
(169)	#1 Electric	9	ETC Source4 50deg 575w	Wall Treatment	L223,  T:76611
(170)	#1 Electric	8	ETC Source4 50deg 575w	Wall Treatment	L223,  T:76611
(175)	0S Siderig SR	2	ETC Source4 LED2LS 26deg+ Light Acc C Clamp 171w	Stars	R119 
(176)	0S Siderig SL	2	ETC Source4 LED2LS 26deg+ Light Acc C Clamp 171w	Stars	R119 
(177)	0S Siderig SR	1	ETC Source4 LED2LS 26deg+ Light Acc C Clamp 171w	Stars	R119 
(178)	0S Siderig SL	1	ETC Source4 LED2LS 26deg+ Light Acc C Clamp 171w	Stars	R119 
(181)	Cloud #1 HR	3	ETC Source4 19deg+Light Acc C Clamp 575w	Kitchen Door Frontlight	L443 
(182)	#3 Electric	17	ETC Source4 19deg+Light Acc C Clamp 575w	Kitchen Door Backlight	R09 
(183)	#3 Electric	16	ETC Source 4 PAR MFL+ Light Acc C Clamp 575w	Kitchen Interior Special	R09 
(185)	Beam #1 Center Bot	2	ETC Source4 14deg+Light Acc C Clamp 575w	Front Stairs	L443 
(186)	Beam #1 Center Bot	3	ETC Source4 14deg+Light Acc C Clamp 575w	Front Stairs Landing	L443 
(187)	#2 Electric	1	ETC Source4 26deg+Light Acc C Clamp 575w	Stairs Side	R09 



YOU CAN'T TAKE IT WITH YOU
CHANNEL HOOKUPS

CHAN	POSITION	U#	INST TYPE & ACCESS &	PURPOSE	CLR & GBO
(188)	#3 Electric	1	ETC Source4 36deg+Light Acc C Clamp 575w	Stairs Landing Side	R09
(191)	Cellar Boom Pipe	1	ETC Source4 LED2DS 50deg 246w	Cellar Uplight Special	R119
(192)	Beam #3 HL Bot	1	ETC Source4 26deg 575w	Cellar Support	NC
(195)	OS Siderig SL	3	ETC Source4 LED2LS 36deg+ Light Acc C Clamp 171w	Hall Special	
(201)	SL Boom Pipe	1	ETC Source4 LED2LS 36deg+ Light Acc C Clamp 171w	Window Special	T:G207
(202)	#7 Electric	1	ETC Source 4 LED 26deg+ Light Acc C Clamp 140w	US Window Special	T: 77643
(205)	Beam #1 HR Bot	1	ETC Source4 19deg 575w	Desk Special	R302
(206)	#1 Electric	6	ETC Source4 26deg 575w	Desk Special	L503
(207)	Cloud #3	1	ETC Source4 14deg 575w	Xylophone A Special	R302
(208)	#4 Electric	7	ETC Source4 19deg 575w	Xylophone A Special	L503
(209)	#6 Electric	2	ETC Source4 19deg 575w	Xylophone B Special	NC
(210)	#1 Electric	16	ETC Source4 10deg 575w	Snakes Special	R63
(211)	Cloud #3	2	ETC Source4 14deg 575w	Chaise Special	R302
(212)	#3 Electric	15	ETC Source4 36deg+Light Acc C Clamp 575w	Chaise Special	L503
(213)	Beam #1 HL Bot	1	ETC Source4 14deg 575w	Grandpa Chair Special	R302
(214)	#1 Electric	14	ETC Source4 19deg 575w	Grandpa Chair Special	L503
(215)	#1 Electric	17	ETC Source4 19deg 575w	Printing Press Special	R302



YOU CAN'T TAKE IT WITH YOU
CHANNEL HOOKUPS

CHAN	POSITION	U#	INST TYPE & ACCESS &	PURPOSE	CLR & GBO
(216)	#6 Electric	3	ETC Source4 19deg 575w	Printing Press Special	L503
(221)	Deck	3		Birdie Special	R373
(222)	Deck	2		Birdie Special	R373
(223)	Deck	1		Birdie Special	R373
(224)	Deck	1		US Birdie Special	R373
(225)	Beam #1 Center Bot	1	ETC Source4 19deg 575w	Flame Special	L507, T:G353
(226)	#4 Electric	3	ETC Source4 19deg 575w	Duchess Special	R357
(230)	#7 Electric	2	ETC Source4 36deg 575w	Moon Special	R60, T:G643
(241)	Beam #6 HL	6	ETC Source4 26deg 575w	SR Portal	L223, T:76611
(242)	Beam #6 HL	5	ETC Source4 26deg 575w	SR Portal	L223, T:76611
(243)	Beam #6 HL	4	ETC Source4 26deg 575w	Portal	L223, T:76611
(244)	Beam #5 HR	3	ETC Source4 26deg 575w	Portal	L223, T:76611
(245)	Beam #5 HR	2	ETC Source4 26deg 575w	SL Portal	L223, T:76611
(246)	Beam #5 HR	1	ETC Source4 26deg 575w	SL Portal	L223, T:76611